

Application No. 10/806,070  
Filed: March 22, 2004  
TC Art Unit: 3644  
Confirmation No.: 1513

AMENDMENT TO THE CLAIMS

Please amend the claims of the application as follows.

1. (Currently Amended) A flower box assembly comprising an inner box and a first inner box holder, the inner box having a bottom wall and at least one closed sidewall, such that it is at least partly fillable with water, the first inner box holder having at least one sidewall and an open lower side and upper side, the inner box being detachably coupled ~~connectible~~ with the inner box holder.

2. (Currently Amended) A flower box assembly according to claim 1, further comprising the assembly being provided with a second inner box holder suitable to accommodate, wherein the inner box within is placed in the second inner box holder, and positionable in relation to the inner box such that a portion of the inner box projects through an opening in one of the upper or lower sides of wherein the second inner box holder, is subsequently pulled up alongside the inner box, wherein the assembly thus formed is placed on the first inner box holder being operable to support, such that the second inner box holder when the second inner box holder rests on an upper side of the first inner box holder.

3. (Previously Presented) A flower box assembly according to claim 1, wherein the first inner box holder differs from the second inner box holder.

4. (Currently Amended) A flower box assembly according to claim 1, wherein the sidewalls of the first inner box holders taper slightly towards each other, such that the first inner box holder is s ~~are~~ nestable within another ~~each other~~.

Application No. 10/806,070

Filed: March 22, 2004

TC Art Unit: 3644

Confirmation No.: 1513

5. (Currently Amended) A flower box assembly according to claim 1, wherein the at least one sidewall of the inner boxes viewed from an upper side in the direction of the bottom wall tapers slightly, such that the inner boxes ~~are~~ is nestable within another ~~each other~~.

6. (Currently Amended) A flower box assembly according to claim 1, wherein in the at least one sidewall of the first inner box holders, at least one light passage opening is included.

7-11. (Canceled)

12. (Currently Amended) A flower box assembly according to claim 1, further comprising a second inner box holder with a lower edge, the first inner box holder also having a lower edge, wherein the lower edge of the first and second inner box holder is designed such that the first and second inner box holders placed onto each other by their lower edges form a cooperative engagement for stable stacking.

13-14. (Canceled)

15. (Currently Amended) A flower box assembly according claim 12, wherein the lower edge of each first inner box holder is provided with at least one toothed provision to form the cooperative engagement to permit stacking of the first inner box holders onto each other by the lower edges in a stable manner.

16. (Canceled)

17. (Currently Amended) A flower box assembly according to claim 1, wherein the inner box is detachably connectible with the first inner box holder when the first inner box holder is in a first position, and the

Application No. 10/806,070

Filed: March 22, 2004

TC Art Unit: 3644

Confirmation No.: 1513

inner box is also detachably connectible with the first inner box holder when the first inner box holder is in an inverted, second position.

18. (Currently Amended) A flower box assembly according to claim 17, wherein the inner box in said first position of the first inner box holder extends substantially within the first inner box holder, and the inner box in said second position extends substantially outside of the first inner box holder ~~extends substantially under it~~.

19. (Currently Amended) A flower box assembly according to claim 17, wherein the assembly is provided with engagement means which are arranged to couple the first inner box holder in said second position to the inner box with a particular engaging force, which engaging force is greater than the weight of the first inner box holder.

20. (Canceled)

21. (Currently Amended) A flower box assembly according to claim 2, wherein the sidewalls of the first and second inner box holders viewed from the bottom, taper slightly towards each other in the direction of the upper side, such that the first and second inner box holders are nestable within each other.

22. (Currently Amended) A flower box assembly according to claim 3, wherein the sidewalls of the first and second inner box holders viewed from the bottom, taper slightly towards each other in the direction of the upper side, such that the first and second inner box holders are nestable within each other.

Application No. 10/806,070

Filed: March 22, 2004

TC Art Unit: 3644

Confirmation No.: 1513

23. (Withdrawn - Currently Amended) A flower box assembly according to claim 1, wherein:

the inner box is coupled ~~connectible~~ with the first inner box holder with at least one circumferential wall extending at an angle at least in part in a horizontal direction, which is connected with the inner box adjacent an upper edge of the at least one sidewall of the inner box, which circumferential wall is provided with at least one first projection which engages an upper edge adjacent the upper side of the first inner box holder;

the projection includes a wall part extending throughout the circumference of the inner box, from the circumferential wall in downward direction; and

wherein the projection engages ~~a first recess in~~ an upper edge adjacent the upper side of the first inner box holder.

24. (Withdrawn - Currently Amended) A flower box assembly according to claim 4, wherein:

the sidewalls of the inner boxes, viewed from an upper side, taper slightly towards each other in the direction of the bottom wall, such that the inner boxes ~~are~~ is nestable within another ~~each other~~;

in the at least one sidewall of the first and second inner box holders, at least one light passage opening is included;

Application No. 10/806,070

Filed: March 22, 2004

TC Art Unit: 3644

Confirmation No.: 1513

~~the means with the aid of which the inner box being is connectible~~  
coupled with the inner box holder ~~with comprise~~ at least one circumferential wall extending at an angle at least in part in a horizontal direction, which is connected with the inner box adjacent an upper edge of the at least one sidewall of the inner box, which circumferential wall is provided with at least one first projection which engages an upper edge adjacent the upper side of the first inner box holder.

25. (Withdrawn - Currently Amended) A flower box assembly according to claim 1, wherein:

the inner box is coupled ~~connectible~~ with the first inner box holder with at least one circumferential wall extending at an angle at least in part in a horizontal direction, which is connected with the inner box adjacent an upper edge of the at least one sidewall of the inner box, which circumferential wall is provided with at least one first projection which engages an upper edge adjacent the upper side of the first inner box holder;

the projection comprises a wall part extending throughout the circumference of the inner box, from the circumferential wall in downward direction; and

~~the projection engages a first recess in an upper edge adjacent the upper side of the inner box holder;~~

Application No. 10/806,070  
Filed: March 22, 2004  
TC Art Unit: 3644  
Confirmation No.: 1513

~~the first recess in the upper edge of the inner box holder also extends throughout the circumference of the inner box holder;~~

~~the circumferential wall is provided with at least one second projection which extends in upward direction from the circumferential wall and which is situated opposite the first projection and whose configuration is such that it is receivable in said first recess of a second inner box holder placed in inverted position onto the assembly of an inner box and an inner box holder;~~

the lower edge of the first inner box holder is designed such that two first inner box holders placed onto each other by their lower edges form a cooperative engagement for stable stacking.

26. (Withdrawn - Currently Amended) A flower box assembly according to claim 12, wherein:

the lower edge of the first and second inner box holders is defined by two substantially parallel extending first inner box holder sidewall parts, ~~more particularly including~~ an inner wall part and an outer wall part, while over a first part of the circumference of the first or second inner box holder the inner wall part projects further down than the outer wall part, and over a second part of the circumference the outer wall part projects further down than the inner wall part;

the first part and the second part of the circumference are complementary, such that, with ~~two~~ the first and second inner box

Application No. 10/806,070  
Filed: March 22, 2004  
TC Art Unit: 3644  
Confirmation No.: 1513

holders placed onto each other by the lower edges, the first circumference part of the first inner box holder abuts against the second circumference part of the second inner box holder;

the lower edge of each of the first and second inner box holder is provided with at least one toothed provision to stack the first and second inner box holders onto each other by the lower edges in a stable manner;

the inner box and the first and second inner box holders have a substantially rectangular cross section.

27. (Currently Amended) A flower box assembly according to claim 1, wherein further comprising:

the inner box is detachably ~~connectible~~ coupled with the first inner box holder when the first inner box holder is in a first position, and the inner box is also detachably ~~connectible~~ coupled with the first inner box holder when the first inner box holder is in an inverted, second position;

the inner box in said first position of the first inner box holder extends substantially within the first inner box holder, and the inner box in said second position extends substantially outside of the first inner box holder ~~extends substantially under it;~~

the assembly is provided with engagement means which are arranged to couple the first inner box holder in said second position to the

Application No. 10/806,070

Filed: March 22, 2004

TC Art Unit: 3644

Confirmation No.: 1513

inner box with a particular engaging force, which engaging force is greater than ~~the~~ a weight of the first inner box holder;

~~wherein at least two~~ a second inner box holder different from the first inner box holders ~~and/or inner boxes with different heights are provided~~, and wherein the ~~different~~ first and second inner box holders are ~~preferably provided with identical~~ have matching upper sides and ~~identical~~ matching lower sides, ~~the different inner boxes being preferably provided with identical upper sides and identical lower sides~~; and

wherein the inner box and the first and second inner box holders have a substantially rectangular cross section.

28. (Currently Amended) A flower box assembly according to claim 1, wherein:

the inner box is placeable in the first inner box holder; and  
the inner box is detachably ~~connectible~~ coupled with the first inner box holder with a circumferential projection which engages an edge of the first inner box holder.

29. (Currently Amended) A flower box assembly according to claim 2, further comprising wherein:

~~the inner box is placeable in the second inner box holder; and~~  
~~the inner box is detachably connectible with the second inner box holder with a circumferential projection on an end of the inner box which engages an edge of the second inner box holder when the portion of the inner box projects through the opening of the second inner box holder.~~



Application No. 10/806,070

Filed: March 22, 2004

TC Art Unit: 3644

Confirmation No.: 1513

30. (Currently Amended) A flower box assembly according to claim 1, ~~further comprising wherein the assembly is provided with a~~ second inner box holder, which is inverted and placeable on an upper side of the inner box, or on the upper side of the first inner box holder, wherein ~~a~~ the first inner box holder is placeable atop ~~on~~ the second inner box holder.

31. (Withdrawn - Currently Amended) A flower box assembly according to claim 1, wherein the ~~means with the aid of which the inner box is connectible with the inner box~~ further comprises ~~holder comprise at~~ least one circumferential wall extending at an angle at least in part in a horizontal direction, which is connected with the inner box adjacent an upper edge of the at least one sidewall of the inner box, which circumferential wall is provided with at least one first projection which engages an upper edge adjacent the upper side of the first inner box holder.

32. (Withdrawn) A flower box assembly according to claim 31, wherein the projection comprises a wall part extending throughout the circumference of the inner box, from the circumferential wall in downward direction.

33. (Withdrawn - Currently Amended) A flower box assembly according to claim 31, wherein the projection engages a first recess in an upper edge adjacent the upper side of the first inner box holder.

34. (Withdrawn - Currently Amended) A flower box assembly according to claim 33, 32, wherein the first recess in the upper edge of the inner box holder also extends throughout the circumference of the inner box holder.

Application No. 10/806,070

Filed: March 22, 2004

TC Art Unit: 3644

Confirmation No.: 1513

35. (Withdrawn - Currently Amended) A flower box assembly according to claim 33, wherein the circumferential wall is provided with at least one second projection which extends in upward direction from the circumferential wall and which is situated opposite the first projection and whose configuration is such that it is receivable in said first recess of a second inner box holder placed in inverted position onto the assembly of an inner box and an inner box holder.

36. (Withdrawn - Currently Amended) A flower box assembly according to claim 12, wherein the lower edge of the inner box holder is defined by two substantially parallel extending inner box holder sidewall parts, more particularly an inner wall part and an outer wall part, while over a first part of the circumference of the inner box holder the inner wall part projects further down than the outer wall part, and over a second part of the circumference the outer wall part projects further down than the inner wall part.

37. (Withdrawn - Currently Amended) A flower box assembly according to claim 36, wherein the first part and the second part of the circumference are complementary, such that, with two inner box holders placed onto each other by the lower edges, the first circumference part of the first inner box holder abuts against the second circumference part of the second inner box holder.

38. (Withdrawn - Currently Amended) A Method for handling a flower box assembly according to claim 1, wherein ~~an~~ the inner box is placed in a second inner box holder, ~~wherein subsequently and positioned in relation to the second inner box holder is pulled up alongside the inner box, and~~ is such that a portion of the inner box projects through an opening in one of the upper or lower sides of the second inner box holder, the assembly being subsequently placed with the inner box on ~~a~~ the first inner box holder, such that the inner box extends substantially within

Application No. 10/806,070

Filed: March 22, 2004

TC Art Unit: 3644

Confirmation No.: 1513

the contours of the first inner box holder and ~~that~~ the second inner box holder is operable to protect ~~the~~ a content of the inner box.

39. (Withdrawn) Method according to claim 38, wherein at a suitable moment the inner box is filled with flowers.

40. (Withdrawn) Method according to claim 38, wherein onto the thus formed assembly of an inner box and a first and second inner box holder a second thus formed assembly of an inner box and a first and a second inner box holder is placed.

41. (Withdrawn - Currently Amended) Use of a flower box assembly according to claim 1, wherein the first inner box holder is used in an inverted position to hold the inner box, wherein the first inner box holder can serve as an aid for carrying the inner box by hand.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**